

SIRY TECHNOLOGY



www.sirytech.com



Power bank professional manufacturer

Dear Sir/Madam,

Thanks for your attention, we really appreciate it.

Siry, a power bank leading manufacturer in Shenzhen & Huizhou China, is acknowledged by many famous distributors like Wal-mart, Varta, HSN as the leader in safety, quality and innovation. Siry is also highly regarded for its creativity in design and branding.

According to ISO9001:2018 manufacture process, Siry produce strictly with 100% capacity grading, 100% aging and 100% QC inspection.

On behalf of all Siry family members, we will offer the excellent product and service.

Welcome to contact us.

Thanks, sincerely!



FCC

CE

BSCI



RoHS

ISO 9001

Qi



CODE : 667327



we have been making power bank for 8 years, and our customers are all over the world



BK50

DO YOUR OFFICE WORK ANYWHERE
AND ANYTIME WITH BK50

Features
Virtual laser keyboard+mouse
Bluetooth speaker, power bank.

Specification

Light Source	Red laser
Recognition rate	350 letters/min
Operation surface	Opaque non reflective plane
Bluetooth	V2.0(class 2), HID Profile Ver. 1.0
Input	DC 5V / 2A
Output	DC 5V / 2.1A
Dimension	64 * 36 * 98mm
Weight	180g

Optional Capacity

4400mAh
5200mAh
6000mAh

Optional Color



BK08

SPEAKER POWER BANK 2- IN-1 MODEL

Features
Superior sound quality / Bluetooth 4.1Version
folding bracket

Specification


Input	5V/1A
Output	5V/1A
Dimension	140x72x23.3mm
Weight	203g

Speaker unit	∅36mm 3W
Rated Output	2.8W*2
SNR	≥55dB
Resistance	4Ω
THD	≤ 5%
Support for	SBC MP3 AAC

Optional Capacity

2600mAh

Optional Color





PD2

NEW GENERATION POWER BANK

Features

Support PD fast charge agreement, High quality battery cell, Type C charging port, super fast quick charge.

Specification

Type-C Input	5V-20V - 45W(MAX)
Type-C Output	5V-20V - 45W(MAX)
Output 1	5V/2.1A 10.5W(MAX)
Output 2	5V/2.1A 10.5W(MAX)
Output total	45W(MAX)
Dimension	185x75x26mm
Weight	518g

Optional Capacity

20000mAh

Optional Color



PD3/S20000

NEW GENERATION POWER BANK

Features

Support PD fast charge agreement, High quality battery cell, Type C charging port, super fast quick charge.

Specification

PD3

Specification

Micro USB Input	5V/2A 9V/2A(MAX)
Type-C Input	5V/2A 9V/2A(MAX)
Type-C Output	DC5V/12A 18W(MAX)
Fast USB Output1	DC5V/12A 18W(MAX)
Normal USB Output2	5V/2.4A (MAX)
All Outputs asynchronous output	5V/2A (MAX)
Dimension	150x64x24mm
Weight	380g

Optional Color



Optional Capacity

16000mAh

S20000

Specification

Micro Input	5V/2A(MAX)
Type-C Input	5V/2A(MAX)
Type-C Output	5V/2.1A(MAX)
USB Output1	5V/1A(MAX)
USB Output2	5V/2.4A (MAX)
Dimension	150x64x24mm
Weight	380g

Optional Capacity

20000mAh

Power bank professional manufacturer

18W/30W/PD





Happy life attitude

WL2000

ADJUSTABLE WIRELESS CHARGER

Features

Compatible with different size of mobile phone Qi 10W/7.5W

Specification

Input	5V/2A(Max)
Output	5V/1A 5W(Max)
Dimension	79x85mm
Weight	56g

Optional Color



Power bank professional manufacturer

WL88

MULTI-APPLICATION WIRELESS POWER BANK

Features

Portable PD+Qi wireless power bank+charging dock,
Unique separate design, support Qi standard 5W/7.5W/10W.

Specification

Micro USB Input	5V/2.0A 9V/2A
Type-C Input	5V/2.5A 9V/2 A
Type-C Output	5V/3.0A 9V/2A 12V/1.5A
USB-A Output	5V/2.4A 9V/2A 12V/1.5A
Wireless charger Output	5V/1A 5W(Max) 9V/1.1A 10W(Max)
Dimension	152.7x74.5x14.3mm
Weight	221g

Station

Input	5V/2.1A(Max)
Output	5V/2A(Max)
Dimension	93x99x48mm
Weight	190g

Optional Capacity

8000mAh/10000mAh

Optional Color



☎ **WL66**

Features

Foldable Qi smart wireless charging pad With kickstand.
Qi wireless standard, Transmit Power 5W/10W.

Specification

Input	DC 9V/1.6A 5V/2A
Output	DC 9V/1.1A 5V/1A
Dimension	117x99x12mm
Weight	60g

Optional Color



WL68 ☎

Wireless charger and power bank,
2 in 1 / support Qi standard / 5W
wireless transmitter.

Specification

Micro Input	DC 5V/2A
USB Output	DC5V/1A 5V/2.1A
Wireless Output	5V/1A 5W(Max)
Dimension	138x70x15mm
Weight	195g

Optional Capacity

8000mAh

Optional Color





WL2

TECHNOLOGY CHANGES LIFE NEW CHARGING OPTION

Features
Support Qi wireless standard/transmit power 5W/7.5W/10W
Colorful atmosphere/night light.

Specification

5W

Input	5V/2A
Output	5V/1A
Dimension	111x40mm
Weight	60g

10W

Input	9V/2A 18W(MAX) 5V/2A
Output	9V/1.1A 10W(MAX) 5V/1A
Dimension	111x40mm
Weight	60g

Optional Color



Power bank professional manufacturer

WL10

PORTABLE & CUTE DESIGN, SUPPORT QI WIRELESS DEVICE, UPGRADE COIL, WIRELESS QUICK CHARGE

Features
cute appearance, high quality silicon housing
smart wireless charger

Specification

5W

Input	5V/2A
Output	5V/1A
Dimension	160x107x58mm
Weight	75g

10W

Input	9V/2A 18W(MAX) 5V/2A
Output	9V/1.1A 10W(MAX) 5V/1A
Dimension	160x107x58mm
Weight	75g

15W

Input	12V/2A 24W(MAX) 5V/2A
Output	12V/1.25A 15W(MAX) 5V/1A
Dimension	160x107x58mm
Weight	75g

Optional Color





WL1

WIRELESS CHARGING PAD

Features

Support Qi wireless standard / transmit power 5W/7.5W/10W



Specification

5W

Input	5V/2A
Output	5V/1A
Dimension	∅98x9mm
Weight	55g

10W

Input	9V/2A 18W(MAX) 5V/2A
Output	9V/1.1A 10W(MAX) 5V/1A
Dimension	∅98x9mm
Weight	55g

Optional Color



P1H

A REVOLUTION IN HIGH-CAPACITY

Features

Portable charger, compact size & handy feel
Built in lanyard

Specification

Input	DC 5V/2A(Max)
Output1	DC 5V/1A(Max)
Output2	DC 5V/2.1A(Max)
Dimension	22x65x96mm
Weight	168g

Optional Capacity

10000mAh

Optional Color





Happy life attitude

S69

DUAL INPUT & OUTPUT PORTABLE POWER BANK

Features

Exquisite 4-LED capacity indicator, Slim power bank with Lightning/type C & micro input ,dual USB outputs more convenient for consumers.

Specification

Micro Input	DC 5V-2100MA(MAX)
Lightning Input	DC 5V-2100MA(MAX)
USB Output1	DC 5V-1000mA
USB Output2	DC 5V-2100mA (MAX)
Dimension	14.5x72x145mm
Weight	205g

Optional Capacity

10000mAh

Optional Color



Power bank professional manufacturer

S26

Features

Ultra slim power bank,with business card holder and a pen,best partner for your business.

Specification

Input	DC 5V/1A
Output	DC 5V/1A
Dimension	128x68x15mm
Weight	112g

Optional Capacity

3500mAh

Optional Color





S16

PORTABLE POCKET POWER BANK

Features

Bidirectional Type-C , High density battery cell , Small size with big capacity

Specification

Type-C Input	5V/2.1A
Type-C Output	5V/2.1A
Micro USB Input	5V/2.1A
USB Output	5V/2.1A
Dimension	22x43x111.5mm

Optional Capacity

10000mAh

Optional Color



WL8/WL9

WIRELESS CHARGER POWER BANK

Features

Support Qi wireless standard/transmit power 5W.

Specification

WL8

Micro Input	DC 5V/2A
USB Output	DC 5V/1A 5V/2.1A
Wireless Output	5V/1A 5W (Max)
Wireless Input	5V/0.7A(Max)
Dimension	138x70x15mm
Weight	202g

WL9

Micro Input	DC 5V/2A
USB Output	DC 5V/1A 5V/2.1A
Wireless Output	5V/1A 5W (Max)
Dimension	138x70x15mm
Weight	195g

Optional Capacity

8000mAh

Optional Color





S10000

PORTABLE POWER BANK

Features

Ultra slim size in your hands, big capacity with built-in charging cable

Specification

Type-C Input	5V/2.1A
Type-C Output	5V/2.1A(max)
USB Output	5V/2.1A
Dimension	13.5x75x144mm
Weight	214g

Optional Capacity

10000mAh

Optional Color



K18/T66/T68

POWER - SHARING

Features

Power bar, charging station, smart design
Breathing atmosphere light, multi-outputs for charging
Recharge your device, restart your life

Specification

Type-C Input	5V-3A(MAX)
JACK 5.5 Input	9V-24V,30W(MAX)
Output1	5V-1A(MAX)
Output2	5V-2.1A(MAX)
Charging pin output x3	5V-1.5A(5A Total MAX)
Dimension	∅ 101.2x77.8mm
Weight	193g

Input	5V-1.8A(MAX)
Charging pin Input	5V-1.5A(MAX)
Output	5V-2.1A(MAX)
Dimension	23.7x32.5x112mm/180mm
Weight	80g/149g

Optional Capacity

3350mAh/6700mAh

Optional Color





S38

POWER CASE

MADE FOR iPhone 6/7/8 PLUS

Features

Inbuilt absorption magnet / with foldable flash light

Specification

Input	DC4.75-5.25V
Input	1.8A(Max)
Output	DC4.75-5.25V
Output	1.5A(Max)
Dimension	14.7*81*162.6mm
Weight	102g

Optional Capacity

3800mAh

Optional Color



S86

WIRELESS CHARGER POWER CASE

MADE FOR iPhone X

Features

Special for iPhone X, ultra thin design, foldable flash light
Personalized Appearance

Specification

Connector	Lighting/Type-C/Micro USB
Micro USB Input	5V/1A
Wireless Output	5V/1A 5W(Max)
Dimension	14.7x81x162.6mm
Weight	148g

Other function

Flash light
Three LED capacity display lamps
Two wireless charging lights
Switch button



Optional Capacity

2500mAh With wireless receiving
3000mAh Without wireless receiving

Optional Color





C20



C10

C20/C10 PORTABLE POWER BANK

Features

Family series power bank

Specification

Input	5V/2.1A
Output1	5V/1A
Output2	5V/2.1A
Dimension	24x68.5x172mm/24x68.5x105mm
Weight	421/228g

Optional Capacity

2000mAh/10000mAh

Optional Color



Power bank professional manufacturer

S55/S100 PORTABLE POWER BANK

Features

Ultra slim size in your hands, big capacity
Family series power bank



Specification

Input	5V/2.1A
Output1	5V/1A
Output2	5V/2.1A
Dimension	11.5x68x128mm/13x75x152mm
Weight	148/210g

Optional Capacity

5000mAh/10000mAh

Optional Color





S15

STRETCHING ALUMINIUM ALLOY UNIBODY

Features
Ultra Slim power bank special for iPhone,
quick recharging, G-sensor capacity indicator.

Specification

Input	DC5V/2A
Output1	DC5V/1A
Output2	DC5V/2.1A
Dimension	143×67×8mm
Weight	132g

Optional Capacity
6000mAh

Optional Color



S98/S88

MAGIC EYES TO SHOW CAPACITY

Features
Ultra slim with top quality polymer cell,
customized for any pattern, quick recharging.

Specification

S98

Capacity	10000mAh
Input	5V/2.1A
Type-C Output	5V/2.1A
USB Output	5V/2.1A
Dimension	155.8x75x12mm
Weight	210g

S88

Capacity	6000mAh
Input	DC5V/2.1A
Output	DC5V/2.1A
Dimension	9×72×147mm
Weight	140g

Optional Color



S88



S98



S8

ULTRA SLIM WITH TOP POLYMER CELL

Features

Low heating during charging, exquisite capacity indicator, private tooling with patent.

Specification

Input	DC 5V-2A
Output 1	DC 5V-1A
Output 2	DC 5V-2.1A
Dimension	15*70*138mm
Weight	230g

Optional Capacity

10000mAh

Optional Color



S20/QC3/QC8

FASHION WOVEN SHELL TO SHOW YOUR EXCELLENT TASTE

Features

Smart & exquisite size for your business, Fire-resistance shell, top quality polymer cell, quick recharging.

QC3 Specification

Bidirectional fast charge



QC8

BIDIRECTIONAL FAST CHARGE

Features

Built in Cable



Specification

Model No	Capacity	Input	Output1	Output2	Output3	Dimension	Weight	Color
S20	10000mAh 12000mAh	DC5V/2A	DC5V/1A	DC5V/2.1A	/	18x76x146mm	229g	● ○ ● ●
QC3	10000mAh 12000mAh	5V/2A 9V/1.5A 12V/1.5A	5V/2.4A(Max)	5V~12V---2.4~1.5A 18W(Max)	/	18.5x76x146.5mm	235g	● ○ ● ●
QC8	20000mAh	5V/2A 9V/1.5A 12V/1.5A	5V/2.4A(Max)	5V~12V---2.4~1.5A 18W(Max)	5V/2.1A(Max)	80x180x20mm	394g	● ○ ● ●



QC8 20000mAh



S20 10000/12000mAh
QC3 10000/12000mAh



Happy life attitude



8000mAh/10000mAh/12000mAh



8000mAh/10000mAh/12000mAh

S89/S99/QC3.2/QC3.3

ALUMINIUM ALLOY SHELL
BIDIRECTIONAL FAST CHARGE



Specification

Model No	S89	S99	QC3.2	QC3.3
Capacity	8000mAh	10000mAh/ 12000mAh	8000mAh	10000mAh/ 12000mAh
Micro Input	5V~2.1A(Max)		5V~2.1A 9V~2A 12V~1.5A(Max)	
Type-C Input	/		5V~2.1A(Max)	
Type-C Output	/		5V~3A(Max)	
Output1	5V/1A(Max)		5V~12V / 2.4~1.5A	
Output2	5V/2.1A(Max)		5V~12V / 2.4~1.5A	
Dimension	10.8x72x156mm	15x73x144.2mm	10.8x72x156mm	15x73x144.2mm
Weight	231g	273g	231g	273g
Color	● ● ●		● ● ●	

B15/B16/B20000/QC1/QC2

CLASSIC LEATHER FEELING DESIGN

QC1/QC2

BIDIRECTIONAL FAST CHARGE



Features

Low heating during charging, exquisite capacity indicator,
private tooling with patent.

Specification

Model No	Capacity	Input	Output1	Output2	Dimension	Weight	Color
B15	6000mAh 6600mAh	DC5V/2A(Max)	DC5V/1A(Max)	DC5V/2.1A(Max)	22x65x96mm	168g	● ○
B16	10000mAh 11000mAh	DC5V/2A	DC5V/1A	DC5V/2.1A	22x65x147mm	274g	
QC1	10000mAh 11000mAh	5V~2A 9V/1.5A 12V/1.3A	5V~12V 2.4~1.5A 18W(Max)	DC5V/2.4A(Max)	22x65x147mm	274g	
B20000	20000mAh	5V/2.1A	5V/1A	5V/2.1A	22x80x168mm	430g	
QC2	16000mAh 17600mAh 20000mAh	5V~2A 9V-1.5A 12V-1.3A	5V~12V 2.4~1.5A 18W(Max)	DC5V/2.4A(Max)	22x80x168mm	430g	

Power bank professional manufacturer



B15
6000mAh/6600mAh



B16/QC1
10000mAh/11000mAh



B20000 /QC2
16000mAh/17600mAh/20000mAh

B18

INNOVATIVE FLEXIBLE DESIGN

Features

High quality silicon shell, 4-LED capacity indicator, high intensity fibre inside.

Specification

Input	DC5V/1A
Output	DC5V/1.5A
Dimension	20×73×142mm
Weight	248g

Optional Capacity

8800mAh
10400mAh

Optional Color



WP11/WP10

PERFECT FOR YOUR OUTDOOR & SPORT LIFE

Features

Waterproof/dustproof/shakeproof with IP67, laser pen, SOS blinking, LED torch.

Specification

Input	DC5V/2A
Output	DC5V/2.1A
Dimension	102×56×28mm
Weight	140g

Optional Capacity

4000mAh
4400mAh
5200mAh

Optional Color



WP11



Power bank professional mountaineering



B069

CLASSIC LEATHER FEELING DESIGN

Features

Low heating during charging, exquisite capacity indicator, private tooling with patent.



Specification

Input	5V/1A
Output1	DC 5V/1.5A
Output 2	DC 5V/1.5A
Dimension	23 x 45 x 96mm
Weight	125g

Optional Capacity

4400mAh

Optional Color



T16

BEST OPTION FOR GIFT

Features

Super mini / Super portable
High performance/cost ratio Li-ion battery 20650
main trend in future

Specification

Input	5V/1A
Output	5V/1A
Dimension	93.5x27x23mm
Weight	81g

Optional Capacity

3350mAh

Optional Color



T09/T10

BEST OPTION FOR GIFT

Features

Real 1A Input & output, low heating during charging, pocketable size.

Specification

Input	5V/1A
Output	5V/1A
Dimension	99x24x23mm
Weight	61g

Optional Capacity

2000/2200/2600mAh

Optional Color

black white

Specification

Input	5V/1A
Output	5V/1A
Dimension	99x26x22mm
Weight	60g





Happy life attitude



T18 10000mAh

ANY CUSTOMIZED SILICON SHELL APPEARANCE,
AMAZING GIFT FOR ALL CUSTOMERS.

T18

Optional Capacity

10000mAh

Optional Color



Specification	
Micro Input	5V--2.1A(MAX)
Type-c input	5V--2.1A(MAX)
Type-c output	5V--2.1A(MAX)
output 1	5V--1A(MAX)
output 2	5V--2.1A(MAX)
Dimension	52.5x140mm
Weight	268g

T11/T12

ANY CUSTOMIZED SILICON SHELL APPEARANCE,
AMAZING GIFT FOR ALL CUSTOMERS.

Optional Capacity

2200mAh 2600mAh

2400mAh 3000mAh

Optional Color



Specification

Input	DC5V/1A
Output	DC5V/1A
Dimension	26.5×26.5×127.5mm
Weight	85g



T11

T12



B066

HIGH END DESIGN PRODUCT
EGG SHAPE CUSTOMIZED FOR IPHONE
WITH BUILT-IN CABLE

Power bank professional manufacturer

Specification

Input	5V-1.5A(MAX)
Output	5V-1.5A(MAX)
Dimension	93x68x42mm
Weight	169g

Optional Capacity

5000/6000mAh

Optional Color

